

wineo

THAT'S FLOORING



**PERFECT FIT
ACCESSORIES**

THE PERFECT FIT.



CONTENT

Underlay material	04
Skirting boards	12
Skirting boards External corners Inside corners	
Weld rods	22
Installation tools	26

**THAT'S
FLOORING**



UNDERLAY MATERIAL PRODUCT FINDER

FOR PURLINE ORGANIC FLOORING OR DESIGN FLOORING

Installation of	Installation type	Installation	Special feature	Product
wineo PURLINE organic flooring or design flooring and comparable design floors for gluing and clicking in	for gluing	floating	self-adhesive on one side	singleGLUE
		glued	self-adhesive on both sides	doubleGLUE
			combined with liquid glue	silentPLUS
	for clicking in	floating	for elastic click-floors	silentCOMFORT
			Rigid-click < 4 mm	silentRIGID COMPACT
			(Semi-) Rigid-click	silentRIGID



If a wineo PERFECT FIT PU underlay or a PU Self-adhesive mat is used in combination with a suitable wineo flooring product, the wineo guarantee will be extended by 5 years.

UNDERLAY MATERIAL PRODUCT FINDER

FOR LAMINATE FLOORING AND PARQUET FLOORING

Installation of	Anforderung	Substrate	Product
laminate flooring or parquet flooring	Underfloor heating	mineral based	soundPROTECT SD
			soundPROTECT PROFI SD
		non-mineral based	soundPROTECT
			soundPROTECT PROFI
Heat insulation	mineral based	insulationBOARD + PE vapour barrier	
		non-mineral based	insulationBOARD

PU SELF-ADHESIVE MATS

FOR PURLINE ORGANIC FLOORING
& DESIGN FLOORING



singleGLUE | Art.-Nr. KPU1020



THE INNOVATIVE SOLUTION

FOR THE FLOATING INSTALLATION OF ELASTIC FLOOR COVERINGS FOR GLUING, WITHOUT LIQUID ADHESIVE

- floating installation of plank and sheet material
- self-adhesive top surface, floating installation, ultra-fast
- perfect solution for underfloor heating

Fits perfectly for PURLINE organic flooring & design flooring for gluing:
wineo 400 | 600 | 800 | 1000 | 1200 | 1500
and all comparable elastic dryback floor coverings

The **singleGLUE** is an underlay with a **self-adhesive top surface**. The underlay is **rolled out in a floating arrangement**, i.e. loose on the screed. Once the protective film has been removed, the flooring can be glued on top and is then fixed using a roller. Working without liquid adhesive is extremely clean and installation is **very quick**. Surfaces can be walked on immediately and thanks to the floating installation the flooring can be removed without leaving any residue.

Technical characteristics

Base material:	ecuran (bio-polyurethane)
Rolls/pallets:	40
Roll:	6.5 m ²
Thickness:	1.8 mm
Width:	1 m
Length:	6.5 m
Weight:	2.6 kg / m ²
Impact sound reduction:	~ 15 dB
Thermal resistance:	0.01 (m ² K) / W

doubleGLUE | Art.-Nr. KPU1050



THE STRONG SOLUTION

FOR A DOUBLE-SIDED ADHESION OF ELASTIC FLOOR COVERINGS FOR GLUING, WITHOUT LIQUID ADHESIVE

- double-sided installation of plank and sheet material
- suitable for the installation of large areas
- no expansion joints
- perfect solution for underfloor heating

Fits perfectly for PURLINE organic flooring & design flooring for gluing:
wineo 400 | 600 | 800 | 1000 | 1200 | 1500
and all comparable elastic dryback floor coverings

The **doubleGLUE** underlay with a **self-adhesive top- and backside**, is additionally **glued** to the substrate. This strong bonding in many cases allows for the **elimination of expansion joints** between rooms and makes an installation of very large areas possible. Also surfaces can be walked on immediately, other trades do not have to wait.

Technical characteristics

Base material:	ecuran (bio-polyurethane)
Rolls/pallets:	40
Rolle:	6.5 m ²
Thickness:	1.8 mm
Width:	1 m
Length:	6.5 m
Weight:	2.6 kg / m ²
Impact sound reduction:	~ 13 dB
Thermal resistance:	0.01 (m ² K) / W

PU UNDERLAYS

FOR PURLINE ORGANIC FLOORING
OR DESIGN FLOORING



silentPLUS | Art. no. UPU1020



THE PLUS IN QUIETNESS

FOR FULL-SURFACE BONDING
OF ELASTIC FLOOR COVERINGS FOR GLUING

- self-adhesive below, full-surface bonding above, ultra-quiet
- perfect solution for underfloor heating
- up to utilisation class 23/33

Fits perfectly for PURLINE organic flooring & design flooring for gluing: wineo 400 | 600 | 800 | 1000 | 1500 and all comparable elastic dryback floor coverings

silentPLUS is an underlay with a **self-adhesive lower surface**. Once the protective film has been removed, the underlay is stuck to the substrate. The flooring is then fitted with an additional adhesive on the entire upper surface. This double adhesive method reduces impact noise up to 17 dB and guarantees that special bonus of very low noise.

Technical characteristics

Base material:	ecuran (bio-polyurethane)
Rolls/pallets:	40
Roll:	8 m ²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	2 kg/m ²
Impact sound reduction:	~ 17 dB
Thermal resistance:	0.01 (m ² K)/W

silentCOMFORT | Art. no. UCT1000



THE CONVENIENT MAT

FOR STABLE CLICKING INSTALLATION
OF ELASTIC FLOOR COVERINGS

- adhesive top surface, floating installation, ultra-stable
- perfect solution for underfloor heating

Fits perfectly for PURLINE organic flooring & design flooring for clicking in: wineo 400 | 600 | 800 | 1000 and all comparable elastic dryback floor coverings

silentCOMFORT is the best choice for **floating installation of click flooring**. The **adhesive surface** ensures the click connections of the flooring are stable so that the flooring does not slip on the underlay. **silentCOMFORT** is therefore the most stable underlay for comfortable click installation of elastic flooring.

Technical characteristics

Base material:	ecuran (bio-polyurethane)
Rolls/pallets:	40
Roll:	10 m ²
Thickness:	1.5 mm
Width:	1 m
Length:	10 m
Weight:	1.5 kg/m ²
Impact sound reduction:	~ 16 dB
Thermal resistance:	0.01 (m ² K)/W

PU UNDERLAYS

FOR PURLINE ORGANIC FLOORING
OR DESIGN FLOORING



silentRIGID COMPACT | Art. no. UPU1050

RECOMMENDED USE
FOR THIN RIGID COVERINGS
WITH LESS THAN 4 MM
PRODUCT THICKNESS



THE MUST-HAVE

FOR THE INSTALLATION
OF RIGID-FLOORS FOR CLICKING IN

- no breaking of the click connection
- super stabilising
- laid as a floating floor

Fits perfectly for thin rigid design flooring for clicking in: with less than 4 mm product thickness


The **silentRIGID COMPACT** is the **perfect underlay for rigid floors with less than 4 mm product thickness**. With these types of products it stabilises click connections which are often weak and reduces walking noise.

Technical characteristics

Base material:	ecuran (bio-polyurethane)
Rolls/pallets:	54
Roll:	10 m ²
Thickness:	1.0 mm
Width:	1 m
Length:	10 m
Weight:	1.2 kg/m ²
Impact sound reduction:	~ 12 dB
Thermal resistance:	0.01 (m ² K)/W

silentRIGID | Art. no. UPU1030

RECOMMENDED USE
FOR RIGID COVERINGS



THE MUST-HAVE

FOR THE INSTALLATION
OF RIGID-FLOORS FOR CLICKING IN

- no breaking of the click connection
- super stabilising
- laid as a floating floor

Fits perfectly for (semi-) rigid design flooring for clicking in: wineo 600 | 1200 and any comparable rigid design flooring

The **silentRIGID** was specially developed for **rigid floors in the premium sector**. With these types of products it stabilises click connections which are often weak and reduces walking noise.

Technical characteristics

Base material:	ecuran (bio-polyurethane)
Rolls/pallets:	54
Roll:	9 m ²
Thickness:	1.2 mm
Width:	1 m
Length:	9 m
Weight:	1.5 kg/m ²
Impact sound reduction:	~ 13 dB
Thermal resistance:	0.01 (m ² K)/W

PU UNDERLAYS FOR LAMINATE FLOORING



soundPROTECT | Art. no. UPU200



**THE ALL-ROUNDER
WITH LONG-LIFE PERFORMANCE**
2 mm

- ultra-quiet, efficient, for a stable click connection
- perfect solution for underfloor heating, suitable for non-mineral substrates (a vapour barrier must be used with mineral substrates)

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

soundPROTECT is the perfect **2 mm underlay for laminate and parquet flooring**. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	<i>ecuran</i> (bio-polyurethane)
Rolls / pallets:	40
Roll:	8 m ²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	1.7 kg / m ²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	~ 28 %
Thermal resistance:	0.01 (m ² K) / W

soundPROTECT SD | Art. no. UPU200SD



With
integrated
**VAPOUR
BARRIER**

**THE ALL-ROUNDER
WITH LONG-LIFE PERFORMANCE**
2 mm

- ultra-quiet, efficient, for a stable click connection
- suitable for mineral substrates (such as screed) thanks to integrated vapour barrier
- perfect solution for underfloor heating

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products


soundPROTECT SD is the perfect **2 mm underlay for laminate and parquet flooring with integrated vapour barrier**. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	<i>ecuran</i> (bio-polyurethane)
Rolls / pallets:	40
Roll:	8 m ²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	1.7 kg / m ²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	~ 28 %
Thermal resistance:	0.01 (m ² K) / W
SD value:	> 75 m

PU UNDERLAYS FOR LAMINATE FLOORING



soundPROTECT PROFI | Art. no. UPU100



**THE ALL-ROUNDER FOR PROFESSIONALS
WITH LONG-LIFE PERFORMANCE**
3 mm

- ultra-quiet, efficient, for a stable click connection
- perfect solution for underfloor heating, suitable for non-mineral substrates (a vapour barrier must be used with mineral substrates)

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

soundPROTECT PROFI is the perfect **3 mm underlay for laminate and parquet flooring**. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	<i>ecuran</i> (bio-polyurethane)
Rolls / pallets:	40
Roll:	5.5 m ²
Thickness:	3 mm
Width:	1 m
Length:	5.5 m
Weight:	2.8 kg / m ²
Impact sound reduction:	~ 20 dB
Reflected walking sound:	~ 31 %
Thermal resistance:	0.01 (m ² K) / W

soundPROTECT PROFI SD | Art. no. UPU100SD



With
integrated
**VAPOUR
BARRIER**

**THE ALL-ROUNDER FOR PROFESSIONALS
WITH LONG-LIFE PERFORMANCE**
3 mm

- ultra-quiet, efficient, for a stable click connection
- suitable for mineral substrates (such as screed) thanks to integrated vapour barrier
- perfect solution for underfloor heating

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

soundPROTECT PROFI SD is the perfect **3 mm underlay for laminate and parquet flooring with integrated vapour barrier**. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	<i>ecuran</i> (bio-polyurethane)
Rolls / pallets:	40
Roll:	5.5 m ²
Thickness:	3 mm
Width:	1 m
Length:	5.5 m
Weight:	2.8 kg / m ²
Impact sound reduction:	~ 20 dB
Reflected walking sound:	~ 31 %
Thermal resistance:	0.01 (m ² K) / W
SD value:	> 75 m



BEST INGREDIENTS FOR BEST RESULTS

The basis of wineo PU underlays and PU self-adhesive mats is ecuran, the unique bio-polyurethane from Windmöller. ecuran is based on plant oils such as canola or castor oil and naturally occurring mineral components such as chalk.



Canola or castor oil



Chalk

Made with

ecuran
your flooring upgrade

PU underlays made of ecuran

- fast, energy-efficient distribution of ground heat
- excellent noise reduction with hard and soft floor coverings
- long-life performance of at least 30 years
- excellent residual indentation behaviour
- sustainable raw materials
- without the addition of chlorine, plasticisers or solvents

FIBREBOARD FOR LAMINATE FLOORING

insulationBOARD | Art. no. UHF100



THE STRONG INSULATION BOARD FOR PROFESSIONALS

- very good heat insulation, height compensation up to approx. 3 mm, high durability

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

insulationBOARD has a proven track record with installation professionals as a **heat insulation underlay**. The insulating board has very good compensation characteristics and is very durable.

Technical characteristics

Material:	Fibreboard
Boxes / pallets:	26
Quantity / box:	15 pieces (7 m ²)
Thickness:	5 mm
Width:	0.59 m
Length:	0.79 m
Weight:	1.28 kg/m ²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	11 %
Thermal resistance:	0.071 (m ² K)/W

PE FILM & MULTI-PURPOSE SEALING TAPE FOR LAMINATE FLOORING

PE vapour barrier | Art. no. UZUB200



- thin PE film for use under all hard flooring (not required for wood substrates)
- provides a separating layer between screed and underlay materials
- certified to B2

Fits perfectly for:
soundPROTECT, soundPROTECT PROFI, insulationBOARD

Technical characteristics

Rolls / pallets:	100
Roll:	30 m ²
Thickness:	0.125 mm
Width:	1 m
Length:	30 m

Multi-purpose sealing tape | Art. no. UZUB110



- special adhesive tape for sealing the edges of underlay
- required for all underlays with integrated vapour barrier

Fits perfectly for:
soundPROTECT SD, soundPROTECT PROFI SD

Technical characteristics

Roll:	1
Width:	38 mm
Length:	20 m

SKIRTING BOARDS
COMFORT SKIRTING



www.blauer-engel.de/uz176

Contrast | Art. no. F01CT60



60 x 16 x 2380 mm

MDF material | Unit = 4

Unity



- for the majority of our wineo floorings we offer skirtings similar to the decor, p. 14-22
- for skirtings not listed, we recommend F01CT6

SKIRTING BOARDS
PREMIUM SKIRTING

Classic | Art. no. F01CS80



80 x 18 x 2380 mm

MDF material | Unit = 4

Design | Art. no. F01DS80



80 x 18 x 2380 mm

MDF material | Unit = 4

Hamburg | Art. no. F01HB80



80 x 18 x 2380 mm

MDF material | Unit = 4

SKIRTING BOARD ACCESSORIES
SKIRTING CLIPS

Skirting clips | Art.-Nr. FCLIPK



- invisible skirting board fixings

ca. 20 cm | box = 50 clips

SKIRTING BOARD ACCESSORIES

INSIDE AND EXTERNAL CORNERS | END CAPS | CONNECTION PIECES

Fits perfectly for



Contrast skirting board

Type (self-adhesive)	Unit	Colour	Art. no.
Inside corners	4	White	FIE01-60
External corners	2	White	FAE01-60
End caps	2	White	FAK01-60
Connection pieces	2	White	FCP01-60

Fits perfectly for



Hamburger 80 skirting board

Type (self-adhesive)	Unit	Colour	Art. no.
Inside corners	4	White	FIE01-80H
External corners	2	White	FAE01-80H
End caps	2	White	FAK01-80H
Connection pieces	2	White	FCP01-80H

Fits perfectly for



Design skirting board

Type (self-adhesive)	Unit	Colour	Art. no.
Inside corners	4	White	FIE01-80
External corners	2	White	FAE01-80
End caps	2	White	FAK01-80
Connection pieces	2	White	FCP01-80

SKIRTING BOARDS FOR PURLINE ORGANIC FLOORING


www.blauer-engel.de/uz176

**ART. NO.
NEW**

wineo 1000

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Calm Oak Ash	PL308R PLC308R MLP308R	F56028UY60	F01CT60 (weiß)
Calm Oak Bright	PL305R PLC305R MLP305R	F34041UY60	F6010114
Calm Oak Mocca	PL307R PLC307R MLP307R	F74022UY60	F01CT60 (weiß)
Calm Oak Shell	PL306R PLC306R MLP306R	F34038UY60	F6010155
Comfort Oak Sand	PL298R PLC298R MLP298R	F34040UY60	F6010126
Intensive Oak Caramel	PL300R PLC300R MLP300R	F54065UY60	F6010131
Intensive Oak Honey	PL299R PLC299R MLP299R	F34011UY60	F6010136
Light Maple Cream	PL296R PLC296R MLP296R	F11015UY60	F01CT60 (weiß)
Natural Pine Beach	PL297R PLC297R MLP297R	F11013UY60	F01CT60 (weiß)
Noble Oak Chocolate	PL312R PLC312R MLP312R	F74016UY60	F6010116
Noble Oak Powder	PL309R PLC309R MLP309R	F34039UY60	F6010114
Noble Oak Toffee	PL311R PLC311R MLP311R	F54024UY60	F6010143
Noble Oak Vanilla	PL310R PLC310R MLP310R	F34012UY60	F6010124
Rustic Oak Coffee	PL316R PLC316R MLP316R	F74002UY60	F6010108
Rustic Oak Ginger	PL314R PLC314R MLP314R	F54063UY60	F6010122
Rustic Oak Nougat	PL315R PLC315R MLP315R	F74003UY60	F6010116
Rustic Oak Taupe	PL313R PLC313R MLP313R	F34037UY60	F01CT60 (weiß)
Soft Oak Pepper	PL304R PLC304R MLP304R	F78008UY60	F01CT60 (weiß)
Soft Oak Salt	PL295R PLC295R MLP295R	F11014UY60	F01CT60 (weiß)
Soft Oak Silver	PL302R PLC302R MLP302R	F56027UY60	F01CT60 (weiß)
Strong Oak Cappuccino	PL303R PLC303R MLP303R	F74020UY60	F01CT60 (weiß)
Strong Oak Cinnamon	PL301R PLC301R MLP301R	F54020UY60	F6010112

SKIRTING BOARDS FOR PURLINE ORGANIC FLOORING


www.blauer-engel.de/uz176

**ART. NO.
NEW**

wineo 1200

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Announcing Fritz	PL271R PLC271R MLP271R	F34011UY60	F6010136
Call me Tilda	PL086R PLC086R MLP086R	F74004UY60	F6010121
Cheer for Lisa	PL097R PLC097R MLP097R	F58022UY60	F6010153
Hello Martha	PL076R PLC076R MLP076R	F54029UY60	F6010101
Let's go Max	PL270R PLC270R MLP270R	F54055UY60	F6010118
Say hi to Klara	PL272R PLC272R MLP272R	F54056UY60	F6010147
Smile for Emma	PL084R PLC084R MLP084R	F78003UY60	F6010105
Welcome Oskar	PL269R PLC269R MLP269R	F54047UY60	F6010155

SKIRTING BOARDS

FOR PURLINE ORGANIC FLOORING



www.blauer-engel.de/uz176



wineo 1500 wood XS | wood L | wood XL

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Canyon Oak Honey	PL076C	F54029UY60	F6010101
Canyon Oak Sand	PL075C	F34009UY60	F6010120
Classic Oak Autumn	PL073C	F74007UY60	F6010121
Classic Oak Spring	PL071C	F34011UY60	F6010106
Classic Oak Summer	PL072C	F54044UY60	F6010135
Classic Oak Winter	PL074C	F76003UY60	F6010125
Crafted Oak	PL080C	F54008UY60	F6010101
Crystal Pine	PL098C	F11007UY60	F01CT60 (weiß)
Fashion Oak Cream	PL092C	F34012UY60	F6010134
Fashion Oak Grey	PL093C	F36012UY60	F6010142
Fashion Oak Natural	PL091C	F34016UY60	F01CT60 (weiß)
Garden Oak	PL005C	F34022UY60	F01CT60 (weiß)
Golden Pine Mixed	PL077C	F01CT60 (weiß)	F01CT60 (weiß)
Island Oak Moon	PL045C	F56003UY60	F6010117
Native Ash	PL099C	F34025UY60	F01CT60 (weiß)
Noble Elm	PL081C	F74006UY60	F6010108
Polar Pine	PL082C	F56009UY60	F01CT60 (weiß)
Pure Black	PL194C	F99999UY60	F01CT60 (weiß)
Pure Pine	PL079C	F11003UY60	F01CT60 (weiß)
Pure White	PL025C	F01CT60 (weiß)	F01CT60 (weiß)
Queen's Oak Amber	PL096C	F34003UY60	F6010106
Queen's Oak Pearl	PL097C	F58008UY60	F6010153
Royal Chestnut Desert	PL085C	F54019UY60	F6010137
Royal Chestnut Grey	PL084C	F78003UY60	F6010138
Royal Chestnut Mocca	PL086C	F74004UY60	F6010125
Silver Pine Mixed	PL078C	F01CT60 (weiß)	F6010123
Supreme Oak Grey	PL070C	F76002UY60	F01CT60 (weiß)
Supreme Oak Natural	PL068C	F34006UY60	F6010132
Supreme Oak Silver	PL069C	F56007UY60	F6010117
Uptown Pine	PL083C	F34023UY60	F01CT60 (weiß)
Village Oak Brown	PL088C	F74016UY60	F6010137

SKIRTING BOARDS

FOR PURLINE ORGANIC FLOORING



www.blauer-engel.de/uz176



wineo 1500 wood XS | wood L | wood XL

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Village Oak Cream	PL087C	F34024UY60	F01CT60 (weiß)
Village Oak Grey	PL089C	F56010UY60	F01CT60 (weiß)
Western Oak Cream	PL094C	F58016UY60	F6010141
Western Oak Desert	PL095C	F54005UY60	F6010122
Wild Wood	PL100C	F34026UY60	F01CT60 (weiß)

SKIRTING BOARDS FOR DESIGN FLOORING


www.blauer-engel.de/uz176

**ART. NO.
NEW**

wineo 400

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Authentic Oak Brown	DB296WXL RLC296WXL MLD296WXL	-	F6010122
Balanced Oak Brown	DB285WXS DB285WL RLC285WL MLD285WL	-	F6010113
Balanced Oak Grey	DB287WL RLC287WL MLD287WL	-	F6010128
Balanced Oak Lightgrey	DB286WXS DB286WL RLC286WL MLD286WL	-	F6010153
Calm Ash Beige	DB290WXL RLC290WXL MLD290WXL	-	F6010140
Coast Pine Greige	DB280WL RLC280WL MLD280WL	-	F6010132
Coast Pine Taupe	DB284WL RLC284WL MLD284WL	-	F6010119
Comfort Oak Brown	DB293WXL RLC293WXL MLD293WXL	-	F6010110
Comfort Oak Dark	DB299WXL RLC299WXL MLD299WXL	-	F6010121
Comfort Oak Mellow	DB129WXL RLC129WXL MLD129WXL	-	F6010102
Comfort Oak Nature	DB291WXL RLC291WXL MLD291WXL	-	F6010110
Comfort Oak Taupe	DB300WXL RLC300WXL MLD300WXL	-	F6010148
Cool Walnut Dark	DB298WXL RLC298WXL MLD298WXL	-	F6010121
Country Oak Nature	DB294WXL RLC294WXL MLD294WXL	-	F6010124
Easy Oak Greige	DB288WXL RLC288WXL MLD288WXL	-	F6010151
Joy Oak Tender	DB126WXL RLC126WXL MLD126WXL	-	F6010107
Limed Oak Silver	DB301WXL RLC301WXL MLD301WXL	-	F6010123
Nordic Maple Cream	DB289WXL RLC289WXL MLD289WXL	-	F6010140
Plain Oak Beige	DB281WXS DB281WL RLC281WL MLD281WL	-	F6010155
Shadow Oak Brown	DB295WXL RLC295WXL MLD295WXL	-	F6010108
Shadow Oak Nature	DB292WXL RLC292WXL MLD292WXL	-	F6010154
Vibrant Oak Beige	DB282WL RLC282WL MLD282WL	-	F6010139
Vintage Oak Brown	DB297WXL RLC297WXL MLD297WXL	-	F6010109
Vivid Oak Nature	DB283WXS DB283WL RLC283WL MLD283WL	-	F6010112

SKIRTING BOARDS FOR DESIGN FLOORING


www.blauer-engel.de/uz176

**ART. NO.
NEW**

wineo 600

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
#AmsterdamLoft	DB195W6 RLC195W6	F54020UY60	F6010112
#BarcelonaLoft	DB191W6 RLC191W6	F54060UY60	F6010134
#BerlinLoft	DB200W6 RLC200W6	F76004UY60	F6010150
#BrooklynFactory	DB206W6 RLC206W6	F78006UY60	F01CT60 (weiß)
#CamdenFactory	DB202W6 RLC202W6	F56022UY60	F01CT60 (weiß)
#ChelseaFactory	DB203W6 RLC203W6	F56023UY60	F01CT60 (weiß)
#CopenhagenLoft	DB189W6 RLC189W6	F34006UY60	F6010132
#CozyPlace	DB186W6 RLC186W6	F74021UY60	F6010130
#ElegantPlace	DB187W6 RLC187W6	F56003UY60	F6010123
#LisbonLoft	DB192W6 RLC192W6	F54016UY60	F6010107
#LondonLoft	DB193W6 RLC193W6	F54029UY60	F6010149
#MilanoLoft	DB190W6 RLC190W6	F34010UY60	F6010141
#ModernPlace	DB188W6 RLC188W6	F78007UY60	F01CT60 (weiß)
#MoscowLoft	DB198W6 RLC198W6	F54059UY60	F6010135
#NaturalPlace	DB183W6 RLC183W6	F34011UY60	F6010154
#NewtownFactory	DB204W6 RLC204W6	F56024UY60	F01CT60 (weiß)
#NewYorkLoft	DB197W6 RLC197W6	F54061UY60	F6010137
#NoordFactory	DB201W6 RLC201W6	F11010UY60	F01CT60 (weiß)
#ParisLoft	DB199W6 RLC199W6	F58007UY60	F6010105
#SmoothPlace	DB185W6 RLC185W6	F58005UY60	F6010126
#SoHoFactory	DB205W6 RLC205W6	F56025UY60	F01CT60 (weiß)
#SydneyLoft	DB194W6 RLC194W6	F54062UY60	F6010112
#ViennaLoft	DB196W6 RLC196W6	F54012UY60	F6010102
#WarmPlace	DB184W6 RLC184W6	F54008UY60	F6010149

SKIRTING BOARDS FOR DESIGN FLOORING


www.blauer-engel.de/uz176

**ART. NO.
NEW**

wineo 800 wood | wood XL

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Balearic Wild Oak	DB00078 DLC00078	F58021UY60	F6010150
Clay Calm Oak	DB00062 DLC00062	F58005UY60	F6010126
Copenhagen Frosted Pine	DB00076 DLC00076	F38003UY60	F01CT60 (weiB)
Corn Rustic Oak	DB00064 DLC00064	F54031UY60	F6010110
Crete Vibrant Oak	DB00075 DLC00075	F74009UY60	F6010125
Cyprus Dark Oak	DB00066 DLC00066	F74014UY60	F6010135
Gothenburg Calm Oak	DB00077 DLC00077	F58009UY60	F6010152
Helsinki Rustic Oak	DB00068 DLC00068	F36007UY60	F01CT60 (weiB)
Honey Warm Maple	DB00081 DLC00081	F54045UY60	F6010100
Infinity Dark Solid	DB00073	F58017UY60	F6010125
Infinity Light Solid	DB00074	F34007UY60	F6010145
Lund Dusty Oak	DB00065 DLC00065	F58007UY60	F6010123
Mud Rustic Oak	DB00063 DLC00063	F54043UY60	F01CT60 (weiB)
Ponza Smoky Oak	DB00067 DLC00067	F76004UY60	F6010150
Riga Vibrant Pine	DB00082 DLC00082	F56008UY60	F01CT60 (weiB)
Salt Lake Oak	DB00079 DLC00079	F34007UY60	F6010145
Santorini Deep Oak	DB00061 DLC00061	F74002UY60	F6010108
Sardinia Wild Walnut	DB00083 DLC00083	F74008UY60	F6010116
Sicily Dark Oak	DB00069 DLC00069	F78005UY60	F01CT60 (weiB)
Wheat Golden Oak	DB00080 DLC00080	F54050UY60	F6010143

SKIRTING BOARDS FOR LAMINATE FLOORING


www.blauer-engel.de/uz176

**ART. NO.
NEW**

wineo 500 L

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Barcelona Oak Sand	LA214LV4	F54020UY60	F6010112
Helsinki Oak Lightbrown	LA212LV4	F54063UY60	F6010122
Lisbon Oak Darkbrown	LA210LV4	F34050UY60	F6010121
Lisbon Oak Lightbrown	LA211LV4	F54029UY60	F6010129
Oslo Oak Brown	LA213LV4	F34043UY60	F6010135
Rome Oak Beige	LA215LV4	F54010UY60	F6010155

wineo 700 L


Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Greece Oak Beige	LA221LV4	F34049UY60	F6010104
Italy Oak Sand	LA219LV4	F34047UY60	F6010110
Monaco Oak Grey	LA217LV4	F34046UY60	F6010128
Monaco Oak Lightbrown	LA216LV4	F34045UY60	F6010127
Portugal Oak Lightbrown	LA218LV4	F54029UY60	F6010129
Spain Oak Beigebrown	LA220LV4	F34048UY60	F6010144

wineo 700 XXL

Design	Fits for (Decor art. no.)	16/60 Art. no.	ART. NO. NEW
Finland Oak Beige	LA225XXLV4	F34051UY60	F6010140
Finland Oak Darkbrown	LA223XXLV4	F34050UY60	F6010121
Finland Oak Gold	LA224XXLV4	F54020UY60	F6010112
Norway Oak Silver	LA222XXLV4	F56003UY60	F6010117
Sweden Oak Beige	LA227XXLV4	F34053UY60	F6010111
Sweden Oak Brown	LA226XXLV4	F34052UY60	F6010154
Sweden Oak Lightbrown	LA228XXLV4	F34054UY60	F6010133
Sweden Oak Sand	LA229XXLV4	F34011UY60	F6010115

SKIRTING BOARDS | EXTERNAL CORNERS | INSIDE CORNERS | WELD RODS

- available for all wineo 1500 roll designs
- uniform rounding due to machine-finished reinforcement
- very robust – no additional supporting profile
- high stability in corner area, no maintenance joint
- elastic material compensates screed sink
- practical skirting dimensions from 2.40 m long – no customising of strips
- flush thresholds guaranteed
- materials do not need to be heated during installation
- no additional templates required
- order-specific article


















Technical characteristics	Skirting boards	External corners	Inside corners	Welding rods
Height	100 mm	100 mm	100 mm	4 mm
Width	100 mm	100 mm	100 mm	4 mm
Length	2400 mm	230 mm per site	210 mm per site	60 m / Roll

Design	Fits perfectly for	Skirting board	External corner	Inside corner	Welding rods
Almond Beige	PLR375C		PH375	PEA375	PS375
Aloe Green	PLR380C		PH380	PEA380	PS380
Apple Green	PLR185C		PH185	PEA185	PS185
Bright.One	PLR115C		PH115	PEA115	PS115
Bright.Two	PLR116C		PH116	PEA116	PS116
Bright.Three	PLR117C		PH117	PEA117	PS117
Bright.Four	PLR118C		PH118	PEA118	PS118
Cappuccino	PLR004C		PH004	PEA004	PS004
Cherry Red	PLR387C		PH387	PEA387	PS387
Chocolate Brown	PLR384C		PH384	PEA384	PS384
Cool.One	PLR107C		PH107	PEA107	PS107
Cool.Two	PLR108C		PH108	PEA108	PS108
Cool.Three	PLR109C		PH109	PEA109	PS109
Cool.Four	PLR110C		PH110	PEA110	PS110
Cottage Oak	PLR038C		PH038	PEA038	PS038
Cotton Beige	PLR383C		PH383	PEA383	PS383
Denim Blue Stars	PLR132C		PH132	PEA132	PS132
Durban Oak Taupe	PLR391C		PH391	PEA391	PS391
Durban Oak Brown	PLR392C		PH392	PEA392	PS392
Floating Wood Sand	PLR134C		PH134	PEA134	PS134
Floating Wood Snow	PLR133C		PH133	PEA133	PS133

Design	Fits perfectly for	Skirting board	External corner	Inside corner	Welding rods
Fountain Blue	PLR376C		PH376	PEA376	PS376
Halifax Oak	PLR036C		PH036	PEA036	PS036
Halifax Oak Natural	PLR389C		PH389	PEA389	PS389
Halifax Oak Brown	PLR390C		PH390	PEA390	PS390
Honey Mustard	PLR128C		PH128	PEA128	PS128
Jade Green	PLR373C		PH373	PEA373	PS373
Jungle Green	PLR018C		PH018	PEA018	PS018
Light Grey	PLR021C		PH021	PEA021	PS021
Melange	PLR003C		PH003	PEA003	PS003
Melbourne Oak Natural	PLR395C		PH395	PEA395	PS395
Melbourne Oak Brown	PLR396C		PH396	PEA396	PS396
Midnight Grey	PLR024C		PH024	PEA024	PS024
Midnight Grey Stars	PLR126C		PH126	PEA126	PS126
Missouri Oak	PLR039C		PH039	PEA039	PS039
Napa Walnut Brown	PLR136C		PH136	PEA136	PS136
Napa Walnut Cream	PLR135C		PH135	PEA135	PS135
Napa Walnut Rust	PLR388C		PH388	PEA388	PS388
Navi Blue	PLR129C		PH129	PEA129	PS129
Navi Blue Stars	PLR131C		PH131	PEA131	PS131
Newport Oak Natural	PLR393C		PH393	PEA393	PS393
Newport Oak Brown	PLR394C		PH394	PEA394	PS394
Ocean Blue	PLR381C		PH381	PEA381	PS381
Pacific Oak	PLR037C		PH037	PEA037	PS037
Powder Rose	PLR374C		PH374	PEA374	PS374
Pure Black Stars	PLR127C		PH127	PEA127	PS127
Pure White	PLR025C		PH025	PEA025	PS025
Pure White Stars	PLR123C		PH123	PEA123	PS123
Pure.One	PLR111C		PH111	PEA111	PS111
Pure.Two	PLR112C		PH112	PEA112	PS112
Pure.Three	PLR113C		PH113	PEA113	PS113
Pure.Four	PLR114C		PH114	PEA114	PS114
Racing Green	PLR019C		PH019	PEA019	PS019
Red Rubin	PLR011C		PH011	PEA011	PS011
Royal Blue	PLR385C		PH385	PEA385	PS385
Rust Brown	PLR382C		PH382	PEA382	PS382
Silver Grey	PLR022C		PH022	PEA022	PS022

SKIRTING BOARDS | EXTERNAL CORNERS | INSIDE CORNERS | WELD RODS

Design	Fits perfectly for	Skirting board	External corner	Inside corner	Welding rods	
Silver Grey Stars	PLR124C		PH124	PEA124	PEI124	PS124
Sinai Sand	PLR002C		PH002	PEA002	PEI002	PS002
Sinai Sand Stars	PLR130C		PH130	PEA130	PEI130	PS130
Springtime Orange	PLR378C		PH378	PEA378	PEI378	PS378
Steel Grey	PLR023C		PH023	PEA023	PEI023	PS023
Sunshine Yellow	PLR377C		PH377	PEA377	PEI377	PS377
Summer Sky	PLR014C		PH014	PEA014	PEI014	PS014
Terracotta Dark	PLR009C		PH009	PEA009	PEI009	PS009
Tropical Orange	PLR386C		PH386	PEA386	PEI386	PS386
Warm.One	PLR119C		PH119	PEA119	PEI119	PS119
Warm.Two	PLR120C		PH120	PEA120	PEI120	PS120
Warm.Three	PLR121C		PH121	PEA121	PEI121	PS121
Warm.Four	PLR122C		PH122	PEA122	PEI122	PS122
Wheat Brown	PLR379C		PH379	PEA379	PEI379	PS379



INSTALLATION TOOLS


- LAMINATE FLOORING
- DESIGN FLOORING
- ORGANIC FLOORING

Rubber hammer | Art. no. 20021004



- the essential tool for professionals – the rubber hammer

Assembly aid pro | Art. no. 10030652



- with practical handle – makes installing click-in flooring easier

Blue Marlin knife | Art. no. 20021003



- the professional knife for installing flooring (supplied without blade)

Assembly aid | Art. no. 10030657



- solid wood, improves installation of elastic flooring for clicking-in



Windmüller GmbH

Nord-West-Ring 21

D-32832 Augustdorf

Tel.: +49 (0) 52 37 609 - 0

Fax: +49 (0) 52 37 609 - 309

info@wineo.de

www.wineo.de

wineo